


HEAVY META

Milliken™



HEAVY META

Metal is a crucial material that shapes our experience in the modern world. But what happens when this heavily-relied upon material is pushed to its limit? Introducing Heavy Meta, a new carpet collection that examines the perplexing conversion of this common material into a new and unexpected manifestation. With the activation of a catalyst, can metal thrive?



ALLOY

Rich in contrast and refined in movement, Alloy offers a steady, more subtle transformative nature, much like the pouring of smooth, melted metal into a casting mold.

FOUNDRY

Much like the fusing of different metals to create the utmost in durability, Foundry features a series of linear forms traveling in various directions, expressing a chaotic yet thorough transformation.




ACTIVATE THE UNKNOWN

Experiment with 2 reformed patterns, Alloy and Foundry, offered in a selection of 14 malleable colors, contrasting in tone and polished in design. And, with a brilliantly high-luster yarn welded in to each tile, watch as designs innately mirror the same sheen of this unique material. With Heavy Meta, become activated with an unconventional method of transformation.





6 Foundry in Weathered FDR259-220 and Foundry in Zinc FDR152-118. 25cm x 1m planks. Vertical ashlar.



7 Foundry in Bronze FDR220-15. 25cm x 1m planks. Vertical ashlar.










METALLIC FIBERS

Every pattern found within the Heavy Meta collection features a brilliant, high-luster metallic fiber welded into each of its tiles. Watch as your unique floorscape design innately begins to mirror the same sheen and allure of metal.









ALY259 OXIDE



ALY259-220 WEATHERED



FDR259 OXIDE



FDR259-220 WEATHERED



ALY251-13 ORE



ALY13-220 ALLUVIAL



FDR251-13 ORE



FDR13-220 ALLUVIAL



ALY158-25 STERLING



ALY220-158 PLATINUM




FDR158-25 STERLING



FDR220-158 PLATINUM




ALY152-118 ZINC




ALY152-220 FOIL



FDR152-118 ZINC



FDR152-220 FOIL



ALY215-174 WELD



ALY174-215 FORGE



FDR215-174 WELD



FDR174-215 FORGE



ALY174-133 TUNGSTEN




ALY250-174 PEWTER



FDR174-133 TUNGSTEN



FDR250-174 PEWTER




ALY15-27 BRASS



ALY220-15 BRONZE



FDR15-27 BRASS



FDR220-15 BRONZE

STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, and resilient flooring. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.



WARRANTY

Our products are backed by lifetime commercial warranties that ensure quality and give peace of mind.



SUSTAINABILITY

Milliken carpet, LVT, and entrance flooring tiles are carbon neutral everywhere in the world. As part of our M/PACT™ carbon neutral program, great care is taken when selecting materials, our carpet materials are Red List Free and PVC Free.



MOISTURE MANAGEMENT

Milliken modular carpet is a moisture mitigation solution all by itself. Our carpet's WellBAC® open-cell backing allows the floor to breathe and moisture to evaporate, unlike hardback products.



STAINSMART®

StainSmart provides lifetime resistance for your carpet against penetrating stains and soil.



WELLBAC® CUSHION

WellBAC® cushion provides superior underfoot comfort while improving the carpet's durability and offering ergonomic, acoustic and environmental benefits.



TRACTIONBACK®

Our bio-based, high-friction coating keeps carpet tiles securely in-place without additional adhesives, eliminating the need to prime or seal the floor, thereby reducing installation time and costs.

HEAVY META

Alloy / Foundry

Construction

Tufted, Textured Loop

Tile Size

25 cm x 1 m (9.84" x 39.4")

Yarn Type

ECONYL® Solution-Dyed Nylon

Stain Resist / Soil Release

StainSmart®

Finished Pile Height

Alloy: 0.11" (2.79 mm)

Foundry: 0.11" (2.79 mm)

Finished Pile Thickness

Alloy: 0.08" (2.03 mm)

Foundry: 0.09" (2.29 mm)

Average Density

Alloy: 9,610

Foundry: 8,736

Standard Backing

PVC-Free WellBAC® Comfort Cushion

Available with TractionBack®

Texture Appearance Retention Rating (TARR)

Heavy Traffic End-Use Applications

Recommended Installation Methods


All Plank Methods



SUSTAINABLE FEATURES

Heavy Meta is manufactured with WellBAC® Comfort cushion backing, and is certified NSF-140 Gold with 47.1% pre-consumer recycled content by total product weight.

Heavy Meta is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™



Declare.



Images in this brochure are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.

SHOWN ON THE COVER

(Front) Alloy in Foil ALY152-220, Alloy in Tungsten ALY174-133, Foundry in Foil FDR152-220. (Spine) Foundry in Weathered FDR259-220, Foundry in Foil FRD152-220. (Back) Alloy in Foil ALY152-220, Foundry in Foil FRD152-220.

Scan to explore the collection story.



Milliken™