




**MAJOR FREQUENCY:
TWO**

Milliken[™]



EQUALIZE

COMPOSE

THE VISUALIZATION OF SOUND

25cm x 1m

50cm x 1m

50cm x 1m

25cm x 1m



Equalize in Outro EQL27. Compose in Outro CMP27. 25cm x 1m planks.

Sound can beckon to the core of our emotions. What begins as a singular wave can multiply and curiously sync together, eventually inciting a poignant experience within each of us.

Introducing Major Frequency: Two, the second wave in a series of inspiration rooted in the realization of sound's power. Through two symbiotic patterns available in 12 enriched colors, this collection explores the dynamic relationship between monochrome and color, while also discovering the visual effects of applied gradations. Offered in two sizes, 25cm x 1m and 50cm x 1m, discover the depths of your originality with Major Frequency: Two.

MAJOR FREQUENCY: TWO

EQUALIZE

Adjust the balance between frequencies with Equalize, subtle bands of detail will boost your design to new levels.



Equalize in Outro EQL27, 25cm x 1m planks.
Vertical Ashlar.

COMPOSE

Create a unique composition on the floor. Find the perfect balance with the subtle variances found in Compose.




Compose in Outro CMP27, 25cm x 1m planks. Vertical ashlar.



(Front to back) Equalize in Whole Note EQL94. Compose in Whole Note CMP94. Equalize in Half Step EQL96. Compose in Half Step CMP96. Equalize in Tonality EQL153. Compose in Tonality CMP153. Equalize in Intro EQL209. Compose in Intro CMP209. 25cm x 1m planks and 50cm x 1m planks. Vertical ashlar.







(Left to right) Equalizer in Intro EQL209. Equalizer in Interval EQL250. Equalizer in Tonality EQL153. Equalizer in Outro EQL27. Equalizer in Half Step EQL96. 25cm x 1m planks. Vertical ashlar.




A BACKSTAGE VIEW

From its initial concept to its final creation, Major Frequency: One & Two were designed to be each other's ideal complement. With a large selection of both patterns and colors, creating a cohesive album of unique floorscapes has never been simpler.



MAJOR FREQUENCY: ONE

MAJOR FREQUENCY: TWO



(Left to right) Major Frequency: Two, Equalize in Outro EQL27. Major Frequency: One, Distortion in Buzz DTN94-27-217 and Distortion in Rustle DTN141-79-209. Major Frequency: Two, Equalize in Intro EQL209 and Equalize in Outro EQL27. 25cm x 1m planks. Vertical ashlar.



16 Compose in Outro CMP27. 25cm x 1m planks. Vertical ashlar.



17 Compose in Verse CMP141. 25 cm x 1m planks. Herringbone.




IMPROV SESSION

Set your own groove. Compose your own song. Arrange your own harmony. With two different tile sizes that easily blend between patterns, your original floorscape is just waiting to be written.

Visualize now at [MillikenFloors.com](https://www.MillikenFloors.com)

COLOR LINE IN EQUALIZE




EQL209
INTRO



EQL152
CHORD



EQL122
ENSEMBLE



EQL141
VERSE



EQL250
INTERVAL



EQL13
RHYTHM



EQL94
WHOLE NOTE



EQL73
GENRE



EQL153
TONALITY



EQL27
OUTRO



EQL96
HALF STEP



EQL119
SCALE

COLOR LINE IN COMPOSE



CMP209
INTRO



CMP152
CHORD



CMP122
ENSEMBLE



CMP141
VERSE



CMP250
INTERVAL



CMP13
RHYTHM



CMP94
WHOLE NOTE



CMP73
GENRE



CMP153
TONALITY



CMP27
OUTRO



CMP96
HALF STEP



CMP119
SCALE

STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, and resilient flooring. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.



WARRANTY

Our products are backed by lifetime commercial warranties that ensure quality and give peace of mind.



SUSTAINABILITY

Milliken carpet, LVT, and entrance flooring tiles are carbon neutral everywhere in the world. As part of our M/PACT™ carbon neutral program, great care is taken when selecting materials, our carpet materials are Red List Free and PVC Free.



MOISTURE MANAGEMENT

Milliken modular carpet is a moisture mitigation solution all by itself. Our carpet's WellBAC® open-cell backing allows the floor to breathe and moisture to evaporate, unlike hardback products.



STAINSMART®

StainSmart provides lifetime resistance for your carpet against penetrating stains and soil.



WELLBAC® CUSHION

WellBAC® cushion provides superior underfoot comfort while improving the carpet's durability and offering ergonomic, acoustic and environmental benefits.



TRACTIONBACK®

Our bio-based, high-friction coating keeps carpet tiles securely in-place without additional adhesives, eliminating the need to prime or seal the floor, thereby reducing installation time and costs.



MAJOR FREQUENCY: TWO

Equalize / Compose

Construction

Tufted, Textured Loop

Tile Size

25 cm x 1 m (9.84" x 39.4")

50 cm x 1 m (19.7" x 39.4")

Yarn Type

Universal Fibers® Solution-Dyed Nylon

Stain Resist / Soil Release

StainSmart®

Standard Backing

PVC-Free WellBAC® Comfort Cushion

Available with TractionBack®

Texture Appearance Retention Rating (TARR)

Severe Traffic End-Use Applications

Recommended Installation Methods

All Plank Methods



ALL PLANK
METHODS

SUSTAINABLE FEATURES

Major Frequency: Two is manufactured with WellBAC® Comfort cushion backing, and is certified NSF-140 Gold with 43% pre-consumer recycled content by total product weight.

Major Frequency: Two is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™



Declare.



Images in this brochure are approximate for color and pattern scale.
Please use actual carpet samples to make your final selections.

SHOWN ON THE COVER

(Front) Equalize in Outro EQL27, Compose in Outro CMP27. (Back) Compose in Outro CMP27.

Scan to explore the collection story.



Milliken™