
Milliken FREE FLOW






FREE FLOW

Everyday, the flow of life shows us shapes, patterns and colors. As a designer I have always been called to pay attention to these details. Aesthetics that surround me and have the power to resonate within my designs. Free Flow lifts our constraints and follows natural observations, which have been harnessed in this collection.

Holly | Milliken Designer







CAPTURING THE DETAILS

Free Flow expresses a uniquely artful perspective inspired by the natural details around us. What started as a study of inherent matter has grown to form an abundant collection of 20 reimagined patterns. Explore the fabrics that define us in *Textures*. Experiment with directionally inspired choices in *Linears*. Discover the methodical order of Geometrics. Or, imitate nature with the unique appeal of Organics. All patterns are available in 50cm x 50cm squares as well as 25cm x 1m planks.

TEXTURES Pages 8-23








MESH

FOUNDATION

CRISS CROSS




THREAD



CLOTH

LINEARS Pages 24-33



FORMATION

GEOMETRICS Pages 34-41




ORGANICS Pages 42-55



RIPPLE


QUARTZ



LATTICE

REFLECTION

OBLIQUE



PATH

FOG






Express your own unique and artful perspective with Free Flow. Offering 20 reimagined patterns and 12 lush colors ranging from blacks, to blues, to greys and browns, creating an aesthetically intentional floorscape is easier than ever.



FOUNDATION

COLOR LINE





WAVE FDN131



DAYBREAK FDN118





CASCADE FDN52

STREAM FDN264

DUSK FDN119

Simple yet refined, Foundation offers a subtle hint of texture and appeal to spaces. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic





SQUARES



50cm x 50cm

STORM FDN6





BRUSH FDN13





PRAIRIE FDN133



GRAVEL FDN235



QUARRY FDN145




BOULDER FDN10



FABRIC

COLOR LINE





WAVE FBC131



DAYBREAK FBC118





CASCADE FBC52

STREAM FBC264


DUSK FBC119

Mimicking the same woven interest found in a sweater or blanket, Fabric offers a delicate contrast. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES




50cm x 50cm

STORM FBC6



BRUSH FBC13





PRAIRIE FBC133



GRAVEL FBC235



QUARRY FBC145



BOULDER FBC10



SHIFU

COLOR LINE






WAVE SHF131



DAYBREAK SHF118





CASCADE SHF52

STREAM SHF264

DUSK SHF119

Fusing gentle lines and an enriched form, Shifu brings an understated hint of movement and intrigue to spaces. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



50cm x 50cm

STORM SHF6





BRUSH SHF13





PRAIRIE SHF133



GRAVEL SHF235



QUARRY SHF145



BOULDER SHF10




MESH

COLOR LINE








STREAM MSH264

DAYBREAK MSH118





CASCADE MSH52

DUSK MSH119

Mesh features a beautiful and interlocking weave of textures, much like a net or a grid. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m


SQUARES



50cm x 50cm

STORM MSH6





BRUSH MSH13





PRAIRIE MSH133



GRAVEL MSH235



QUARRY MSH145



BOULDER MSH10



THREAD

COLOR LINE







CASCADE THD52

DUSK THD119

Enriched with layers of fine lines, the depth of Thread offers a quieter composure. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Vertical ashlar



25cm x 1m

SQUARES




BOULDER THD10



CRISS CROSS

COLOR LINE





WAVE CRC131





DAYBREAK CRC118






CASCADE CRC52

STREAM CRC264

DUSK CRC119

Add visual impact with the lively Criss Cross, an amplifying pattern with a wide range of motion. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Ashlar





25cm x 1m

SQUARES



50cm x 50cm



BRUSH CRC13





PRAIRIE CRC133



GRAVEL CRC235



QUARRY CRC145



BOULDER CRC10



CLOTH

COLOR LINE





WAVE CTH131



DAYBREAK CTH118





CASCADE CTH52

STREAM CTH264

DUSK CTH119

Like a favorite linen or jacket, Cloth offers a soft and welcoming touch to spaces. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



50cm x 50cm

STORM CTH6





BRUSH CTH13





PRAIRIE CTH133

GRAVEL CTH235



QUARRY CTH145



BOULDER CTH10



SHIPPING WITHIN 2-3 WEEKS

Free Flow offers shipping within only 2-3 weeks, making the process between product selection and product delivery swift and effortless. This collection is an especially ideal choice for new or retrofit installations, accelerated time lines, or simply for a guaranteed, no hassle delivery.





REED

COLOR LINE





WAVE REE131



STREAM REE264







CASCADE REE52


DUSK REE119

Much like a blade of grass, Reed exudes a tall and slender refinement while still rich in both texture and contrast. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic





SQUARES



PRAIRIE REE133

BOULDER REE10



STRIPE

COLOR LINE





WAVE STP131



STREAM STP264





CASCADE STP52


DUSK STP119

Featuring a gradation of shape and value, Stripe showcases a lighthearted attitude in a full-bodied pattern. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



PRAIRIE STP133





RIBBON

COLOR LINE





WAVE RBN131



DAYBREAK RBN118





CASCADE RBN52

STREAM RBN264


DUSK RBN119

As soft and delicate as a bow, Ribbon expresses light contrast with an elegant twist. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m


SQUARES











PRAIRIE RBN133

QUARRY RBN145




BOULDER RBN10



FORMATION

COLOR LINE





WAVE FMT131

CLOUD FMT174



DAYBREAK FMT118





CASCADE FMT52

STREAM FMT264


DUSK FMT119

Discovering a harmonious balance between tone and value, *Formation* boasts a confident intrigue. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



LINEARS

50cm x 50cm




STORM FMT6





BRUSH FMT13





PRAIRIE FMT133



GRAVEL FMT235




QUARRY FMT145



BOULDER FMT10






TILT

COLOR LINE





WAVE TLT131



DAYBREAK TLT118






CASCADE TLT52

STREAM TLT264

DUSK TLT119

Tilt takes form with a set of diagonal lines ranging from light to dark, bringing an active energy to spaces. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Ashlar



25cm x 1m

SQUARES



50cm x 50cm

STORM TLT6





BRUSH TLT13





PRAIRIE TLT133



GRAVEL TLT235



QUARRY TLT145




BOULDER TLT10



BRIDGE

COLOR LINE





WAVE BDG131



DAYBREAK BDG118





CASCADE BDG52

STREAM BDG264

DUSK BDG119

Architecturally inspired, Bridge features unique visual appeal of converging fine lines accentuated by a light-to-dark contrast. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Ashlar



25cm x 1m

SQUARES



STORM BDG6





BRUSH BDG13





PRAIRIE BDG133



GRAVEL BDG235



QUARRY BDG145



BOULDER BDG10



OBLIQUE

COLOR LINE





WAVE OBL131



DAYBREAK OBL118



CASCADE OBL52

STREAM OBL264

DUSK OBL119

Mirroring the sides of a hexagon or octagon, Oblique adds dynamic movement to spaces while still retaining a refined edge. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Ashlar



25cm x 1m

SQUARES



50cm x 50cm




STORM OBL6





BRUSH OBL13





PRAIRIE OBL133



GRAVEL OBL235



QUARRY OBL145



BOULDER OBL10

NEW & RETROFIT INSTALLATIONS

Free Flow is ideal for a variety of spaces in need of aesthetic and functional updates, especially new installations and renovations. And, with an open-cell cushion backing construction, Free Flow can withstand all levels of RH and pH, eliminating any potential compatibility issues.





RIPPLE

COLOR LINE





WAVE RPL131



STREAM RPL264





CASCADE RPL52

DUSK RPL119

Like the changing shift and flow of a body of water, Ripple highlights the beautiful intricacies that come when stillness is interrupted. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



PRAIRIE RPL133





QUARTZ

COLOR LINE





WAVE QTZ131



DAYBREAK QTZ118





CASCADE QTZ52

DUSK QTZ119

Gorgeously contemplative and regal, Quartz offers the same whimsy intrigue found within polished marble or a precious stone. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Ashlar





SQUARES



50cm x 50cm

STORM QTZ6





BRUSH QTZ13





PRAIRIE QTZ133

GRAVEL QTZ235



QUARRY QTZ145



BOULDER QTZ10



ΡΑΤΗ

COLOR LINE





WAVE PTH131







CASCADE PTH52

STREAM PTH264

DUSK PTH119

Progressive and forward-moving, Path exemplifies the beauty and curiosity that can be found in the unknown. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



50cm x 50cm







PRAIRIE PTH133

BOULDER PTH10





FOG

COLOR LINE





WAVE FOG131







CASCADE FOG52

STREAM FOG264

DUSK FOG119

Hazy and a bit muddled, Fog brings an enthralling ombré effect to spaces, creating a subtle complexity and focus. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



PRAIRIE FOG133





LATTICE

COLOR LINE





WAVE LTC131



DAYBREAK LTC118





CASCADE LTC52

STREAM LTC264

DUSK LTC119

Similar to growing ivy on a trellis, Lattice features an interlocking expression of space and contrast coupled with an arbitrary finesse. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic





SQUARES



50cm x 50cm





QUARRY LTC145



BOULDER LTC10





PRAIRIE LTC133



REFLECTION

COLOR LINE





WAVE RFL131

CLOUD RFL174



DAYBREAK RFL118





CASCADE RFL52


DUSK RFL119

Capturing the natural glow of light throughout the day, *Reflection* adds a soft yet glimmering radiance to spaces. Tiles shown in Prairie. Recommended Installation Method: Planks: All methods Squares: Monolithic



25cm x 1m

SQUARES



50cm x 50cm

STORM RFL6



BRUSH RFL13





PRAIRIE RFL133

GRAVEL RFL235



QUARRY RFL145




BOULDER RFL10



INSTALLATION INSPIRATION

Free Flow welcomes inspiration. With 20 patterns that are easily paired and 12 neutral color selections, designing a floor that feels completely custom is now easier than ever. **Visualize now at MillikenFloors.com**






Stripe in Storm STP6. 25cm x 1m planks.

Reed in Storm REE6. 50cm x 50cm squares.





Quartz in Prairie QTZ133. 25cm x 1m planks.

Shifu in Prairie SHF133. 25cm x 1m planks.










Bridge in Prairie BDG133. 50cm x 50cm squares.

Formation in Prairie FMT133. 25cm x 1m planks.



Fog in Storm FOG6. 25cm x 1m planks.

Foundation in Storm FDN6. 25cm x 1m planks. 50cm x 50cm squares.

STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, and resilient flooring. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.

WARRANTY

Our products are backed by lifetime commercial warranties that ensure quality and give peace of mind.



SUSTAINABILITY Milliken carpet, LVT, and entrance flooring

tiles are carbon neutral everywhere in the world. As part of our M/PACT™ carbon neutral program, great care is taken when selecting materials, our carpet materials are Red List Free and PVC Free.

MOISTURE MANAGEMENT

Milliken modular carpet is a moisture mitigation solution all by itself. Our carpet's WellBAC[®] open-cell backing allows the floor to breathe and moisture to evaporate, unlike hardback products.



StainSmart provides lifetime resistance for your carpet against penetrating stains and soil.



58 District LVT, Arts Avenue in Logan ATS153. Free Flow, Criss Cross in Prairie CRC133. Quadrus, Gravity in Streamline GRA118-119.

WELLBAC® CUSHION

WellBAC[®] cushion provides superior underfoot comfort while improving the carpet's durability and offering ergonomic, acoustic and environmental benefits.



TRACTIONBACK®

Our bio-based, high-friction coating keeps carpet tiles securely in-place without additional adhesives, eliminating the need to prime or seal the floor, thereby reducing installation time and costs.

59



FREE FLOW

Construction Tufted, Level Loop

Tile Sizes

50 cm x 50 cm (19.7" x 19.7") 25 cm x 1 m (9.84" x 39.4")

Yarn Type Milliken-Certified WearOn® Nylon

Stain Resist / Soil Release StainSmart®

Standard Backing PVC-Free WellBAC® Comfort Cushion Available with TractionBack®

Texture Appearance Retention Rating (TARR) Severe Traffic End-Use Applications

Recommended Installation Methods



MONOLITHIC ASHLAR



ALL PLANK METHODS



Scan to explore the collection.

SUSTAINABLE FEATURES

Free Flow is manufactured with WellBAC® Comfort cushion backing, and is certified NSF-140 Gold with 40.9% pre-consumer recycled content by total product weight. Free Flow is also available with our NSF-140 Platinum backing option. All Milliken modular carpets carry Environmental Product Declarations and Health Product Declarations, which contribute to LEED certification. Additionally, Milliken modular carpets carry Declare® transparency labels and comply with the Red List Imperative of the Living Building Challenge.™



Images in this brochure are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.

SHOWN ON THE COVER (Front) Path in Cloud PTH174 and Cloth in Daybreak CTH118. (Back) Cloth in Dusk CTH119.

Customer Concierge 800.824.2246 | millikenfloors.com © 2021 Milliken & Company | Design © Milliken & Company | Made in the USA

ISA

2710028713 CP 0722