



METRO PARK

RIGIDFORM™ LVT



Milliken™

Modern meets nature

Metro Park RigidForm LVT pairs classic, natural aesthetics with modern materials and engineering—enhancing performance characteristics while keeping you connected to nature.



Applewood in APL77 Cider, Eucalyptus Saligna in ECS122 Koala, and Kokutan in KKT145 Kuro

APPLEWOOD



Applewood in APL77 Cider with Bruma Medium 00945142

EUCALYPTUS SALIGNA



Eucalyptus Saligna in ECS122 Koala

PIKE



Pike in PKK124-208 Antler



LVT that works harder *and* smarter.



RIGIDFORM

- Holds heavy loads, i.e. lobby desks
- Increased acoustical properties
- Waterproof platform
- No acclimation or deformation from temperature



SECURELOCK

- Installs over poor subfloors
- Easy installation
- No need for separate underlayment specialty adhesives



PROGUARD

- Scratch- and scuff-resistant
- Resists stains and fading



Shenandoah in SHN145 Moose

SHENANDOAH

HERITAGE WOOD



Heritage Wood in HTG145 Legacy

TANGIBLE



Tangible in TGB6 Dawn

Metro Park


complete line



SHENANDOAH SHN145 Moose




PIKE PKK176-121 Bark



KOKUTAN KKT121 Bokken



EUCALYPTUS SALIGNA ECS122 Koala



APPLEWOOD APL77 Cider



KOKUTAN KKT145 Kuro




PIKE PKK144 Cloud



PIKE PKK121-204 Dew



HERITAGE HTG145 Legacy



EUCALYPTUS SALIGNA ECS114 Wombat



PIKE PKK124-208 Antler



TANGIBLE TGB6 Dawn




SHIPPING INFORMATION

DESIGN NAME	TILE SIZES	PCS/CARTON	FT ² /BOX
Applewood	7" X 48"	9	21.7
Eucalyptus Saligna	7" X 48"	9	21.7
Heritage Wood	7" X 48"	9	21.7
Kokutan	7" X 48"	9	21.7
Pike	7" X 48"	9	21.7
Shenandoah	7" X 48"	9	21.7
Tangible	18"X36"	5	23.35

STYLE BACKED BY PERFORMANCE

Milliken Floor Covering offers products and expertise in all areas of your commercial spaces, including high-performance entryway systems, modular and broadloom carpet, luxury vinyl tile and milliCare®. Simplify your flooring projects by working with a trusted partner that lets you focus on enjoying the process of creating a great space.

RIGIDFORM™ LVT CONSTRUCTION



Wear Layer Thickness
22 mil (0.55 mm)

1. **PROGUARD REINFORCED POLYURETHANE**
Provides superior stain and scratch resistance, eliminates the need for polishes/waxes, for reduced maintenance costs and improved Indoor Air Quality (IAQ) performance
2. **WEAR LAYER**
Transparent embossed 22 mil wear layer provides protection and appearance retention in demanding commercial environments
3. **PRINTED LAYER**
High-resolution printed film delivers stunning realistic visuals of wood and stone
4. **SECURELOCK™ RIGID LAYER**
This stable layer provides unsurpassed durability that also hides subfloor imperfections, with a locking mechanism that allows for quick and easy adhesive-free installation
5. **INTEGRAL ACOUSTIC BACKING**
Pre-attached underlayment minimizes sound, is shock absorbent, provides comfort underfoot and further assists with concealment of subfloor imperfections

Complete Performance and Support

LUXURY VINYL TILE

Metro Park RigidForm is the latest addition to Milliken's LVT product line and coordinates with other Milliken product families. From natural looks of wood and stone to more modern textures and abstracts, Milliken's collection of Luxury Vinyl Tile flooring creates new options for a commercial or hospitality interior. Our simple-to-search Color Reference system provides easy coordination of the LVT options to modular and broadloom carpets.

ENTRYWAY SYSTEMS

Great architecture and design aren't just about managing all that goes into an effective, attractive space. It's also about what's intentionally kept out. That's why the protective flooring experts at Milliken created OBEX™, a comprehensive entrance system with a range of proven forms and materials. OBEX equips architects, engineers and specifiers with all they need to create site-specific, high-performing entries, without compromising their project's overall design.

MODULAR CARPET AND BROADLOOM

Milliken's broadloom and carpet tile incorporate the latest innovations in tufting and dyeing technology, achieving unique looks and excellent performance. All carpet tile products have cushion backing for an extended lifespan, as well as ergonomic and environmental benefits.

MILLICARE®

milliCare takes caring for your flooring and textiles off your to-do list, which means you can skip right to the part where you get to lean back, put your hands behind your head, and be a hero for keeping a beautifully cleaned space.



WARRANTY

Milliken Luxury Vinyl Tile products are backed by a 15 year Heavy Commercial & Lifetime Residential wear warranty, ensuring quality and giving peace of mind. For further information visit » millikenfloors.com/warranty



ENHANCED INVENTORY PROGRAM

With an enhanced inventory level for large installations containing select patterns and colors, Milliken's USA based inventory system makes it easy to respond as quickly as possible to your project needs.



MOISTURE MANAGEMENT

With Milliken's specialty LVT adhesive, our Luxury Vinyl Tile products can be installed in environments encountering high moisture readings up to 99% Relative Humidity. For further information, visit » millikenfloors.com/lvt



SUSTAINABILITY

In keeping with Milliken's long-standing culture of sustainability, our Luxury Vinyl Tile products are 100% Ortho-Phthalate free. They do not contain problematic post-consumer recycled material. Further, Milliken's Luxury Vinyl Tiles are certified to the most stringent global environmental standards. For further information, visit » millikenfloors.com/sustainability

METRO PARK

RIGID^{FORM} LVT



METRO PARK

Metro Park RigidForm LVT pairs classic, natural aesthetics with modern materials and engineering—enhancing performance characteristics while keeping you connected to nature.

Construction

High Performance Rigid Core Flooring

Finish

ProGuard™ Reinforced Polyurethane Coating

Wear Layer Thickness

22 mil (0.55 mm)

Edge Profile

Micro Bevel

Critical Radiant Flux (ASTM E648)

Pass - Class I

Smoke Density (ASTM E662)

Pass - ≤ 450

Heat Stability by Color Change (ASTM F1514)

Pass

Light Stability (ASTM F1515)

Pass

Static Coefficient of Friction (ASTM D2047)

Pass

Determination of dimensional stability & curling after exposure to heat (ISO 23999)

Pass

Resistance to Chemicals (ASTM F925)

Pass

Static Load Limit (ASTM F970)

Pass

Installation

SecureLock™ locking mechanism

Warranty

15 Year Limited Commercial Wear Warranty

LVT ENVIRONMENTAL STANDARDS

Milliken LVT is highly durable resilient flooring engineered with the highest quality raw materials to provide unsurpassed performance and enduring aesthetics. Milliken LVT is 100% ortho-phthalate-free. Milliken LVT is manufactured at facilities that are ISO 9001 and ISO 14001 compliant.



Specifications are subject to normal manufacturing tolerances and may be changed without prior notice. Images in this brochure are approximate for color and pattern scale. Please use actual product samples to make your final selections.