



POWERLINES/IS
IN STOCK

Milliken™

SHIPS WITHIN 3 DAYS





Even the tightest timelines are no longer an issue with modular tile and broadloom options in stock and ready to ship.

Ships within 3 days.

- | 50 SKUs of popular patterns and colors.
- | All colors and patterns available in modular tile.
- | 10 SKUs from the Formwork collection available in broadloom.
- | 1,000 yard² maximum.
(standard minimums apply).



Scan code to explore the
online product catalog.

Nordic Stories



ISOGRAD
FJORD IGD108-13



ISOGRAD
SANDPIPER IGD124-94



ISOGRAD
SPIRITLAND IGD122-120



ISOGRAD
ASH BLANKET IGD119-27



ISOGRAD
ESKER IGD13-119



ISOGRAD
NORSE IGD94-59



ISOGRAD
LAHAR IGD67-59



ISOGRAD
ROCK POWDER IGD27-52



TECTONIC
FJORD TTC108-13



TECTONIC
SANDPIPER TTC124-94



TECTONIC
SPIRITLAND TTC122-120



TECTONIC
ASH BLANKET TTC119-27



TECTONIC
ESKER TTC13-119




TECTONIC
NORSE TTC94-59



TECTONIC
LAHAR TTC67-59



TECTONIC
ROCK POWDER TTC27-52



HIDDEN PLAINS
FJORD HDP108-13



HIDDEN PLAINS
ESKER HDP13-119

SHIPS WITHIN 3 DAYS

IN STOCK

Nordic Stories

Ghost Artist



FACADE
CLOAK FAC122-120



FACADE
OBSCURA FAC13-118



FACADE
CONCEAL FAC133-120



FACADE
STEALTH FAC27-52

Southern Analog



PINHOLE
VIGNETTE PH417



VOLTAGE
VIGNETTE VT317



PANORAMIC
VIGNETTE PA117



VIEWFINDER
VIGNETTE VF217



PINHOLE
ZOOM PH418



VOLTAGE
ZOOM VT318



PANORAMIC
ZOOM PA118



VIEWFINDER
ZOOM VF218



Formwork

Available in **Tile** and **Broadloom**



PILLAR FWK13



PIER FWK122



WAINSCOT FWK94



TRUSS FWK67



FOUNDATION FWK120



RENDER FWK59



PLINITH FWK118



PITCH FWK27



SPAR FWK79



VAULT FWK133

SHIPS WITHIN 3 DAYS

IN STOCK

Product Specifications

The information shown here is only partial listing of the full product information. Visit our website for the complete and most up-to-date specifications of each product.

FORMWORK // Formwork

Construction Tufted, Level Loop	Finished Pile Thickness 0.10" (2.54 mm)	Recommended Installation Method
Sizes <i>Tile:</i> 50 cm x 50 cm (19.7" x 19.7") <i>Broadloom:</i> 13' 6" wide	Average Density 6,300	<div><div>↑↑</div><div>↑↑</div></div>
Yarn Type Universal® Fibers Solution-Dyed Nylon	Standard Backing <i>Tile:</i> WellBAC® Comfort Cushion Available with TractionBack® <i>Broadloom:</i> PVC-Free Endura-Loc™	MONOLITHIC
Stain Resist / Soil Release StainSmart®	Texture Appearance Retention Rating (TARR) <i>Tile:</i> Severe Traffic End-Use Applications <i>Broadloom:</i> Heavy Traffic End-Use Applications	
Finished Pile Height 0.15" (3.81 mm)		

GHOST ARTIST // Facade

Construction Tufted, Textured Loop	Finished Pile Thickness 0.10" (2.54 mm)	Recommended Installation Method
Tile Size 50 cm x 50 cm (19.7" x 19.7")	Average Density 8,136	<div><div>↑↑</div><div>↑↑</div></div>
Yarn Type Universal® Fibers Solution-Dyed Nylon	Standard Backing WellBAC® Comfort Cushion Available with TractionBack®	MONOLITHIC
Stain Resist / Soil Release StainSmart®	Texture Appearance Retention Rating (TARR) Severe Traffic End-Use Applications	
Finished Pile Height 0.16" (4.06 mm)		

NORDIC STORIES // Hidden Plains, Isograd, Tectonic

Construction Tufted, Textured Loop	Finished Pile Height <i>Hidden Plains:</i> 0.13" (3.30 mm) <i>Isograd:</i> 0.13" (3.30 mm) <i>Tectonic:</i> 0.14" (3.56 mm)	Texture Appearance Retention Rating (TARR) Severe Traffic End-Use Applications
Tile Size 50 cm x 50 cm (19.7" x 19.7")	Average Density <i>Hidden Plains:</i> 6,807 <i>Isograd:</i> 5,504 <i>Tectonic:</i> 6,504	Recommended Installation Methods
Yarn Type Universal® Fibers Solution-Dyed Nylon	Standard Backing WellBAC® Comfort Cushion Available with TractionBack®	<div><div>↑↑</div><div>↑↑</div></div> <div><div>↑↑</div><div>↑↑</div></div>
Stain Resist / Soil Release StainSmart®		MONOLITHIC V. ASHLAR

SOUTHERN ANALOG // Panoramic, Pinhole, Viewfinder, Voltage

Construction Tufted, Textured Loop	Average Density <i>Panoramic:</i> 5,951 <i>Pinhole:</i> 9,300 <i>Viewfinder:</i> 5,843 <i>Voltage:</i> 7,914	Recommended Installation Methods
Tile Size 50 cm x 50 cm (19.7" x 19.7")	Standard Backing WellBAC® Comfort Cushion Available with TractionBack®	<div><div>↑↑</div><div>↑↑</div></div> <div><div>↑↑</div><div>↑↑</div></div>
Yarn Type ECONYL® Solution-Dyed Nylon	Texture Appearance Retention Rating (TARR) Heavy Traffic End-Use Applications	MONOLITHIC ASHLAR
Stain Resist / Soil Release StainSmart®		<div><div>→↑</div><div>↑→</div></div>
Finished Pile Height 0.13" (3.30 mm)		QUARTER-TURN



Ghost Artist Facade in Obscura.



It takes **humans** to
protect **humanity**.

Make changes to end climate change.
Design a better future.

M/PACT™
CARBON NEUTRAL PRODUCT

M/PACT carbon neutral products offset the raw materials and manufacturing carbon footprint* by using 3rd party Verified Carbon Standard Credits that support renewable energy and carbon reduction technologies to help fight climate change. When you choose M/PACT products, you can be sure your choice is carbon neutral.

- All carpet, LVT and entryway tiles are carbon neutral.
- We're investing in renewable energy.
- We're investing in more efficient manufacturing technologies.
- We use safe material to ensure end-of-life product recycling.
- Manufacturing around the world reduces shipping.

Together, we can make a positive M/PACT on the world for generations.



* As calculated and verified scope A1-3 GWP through a ISO14025/ISO14040 compliant LCA and published in third party EPDs.

SHOWN ON THE COVER

(Front) Southern Analog Panoramic in Vignette. Nordic Stories Isograd in Esker. Ghost Artist Facade in Shroud. Nordic Stories Hidden plains in Esker. (Back) Nordic Stories Tectonic in SpiralInd.

Images in this brochure are approximate for color and pattern scale. Please use actual carpet samples to make your final selections.

Milliken™

Customer Concierge 800.824.2246 | millikenfloors.com
© 2022 Milliken & Company | Design © Milliken & Company